



ROOF COLLECTION

**Wide Range
of Colours**

with Nippon Paint Roof Coating & Solarroof

**Protects and
Reflects Heat**

from your roof

○—Peacock Pride 9558

○—Oriental 9611

ROOF PAINTING

GUIDE

METAL ROOFING/ CLADDING

	GOOD PERFORMANCE		HIGH PERFORMANCE	EXCELLENT PERFORMANCE	Application Method
	Water Based	Solvent Based	Solvent Based	Solvent Based	
Green Choice					By Roller or Spray. 1. For easier application and better finishing, it is advisable to apply by spray. 2. For roller application, multiple coats may be needed to achieve recommended dry film thickness
Sunblock & Insulation Technology					
Primer	 Hydro-Wood and Metal Primer Thickness: 30mic Matt	 Hydro-Wood and Metal Primer Thickness: 30mic Matt	 EA9 Finish HB Thickness: 80mic Low Gloss	 8048 Zinc Phosphate Primer Thickness: 75mic Low Gloss	
Top Coat	 Roof Coating Thickness: 60mic Gloss	 Solaroof Thickness: 60mic Gloss	 Protective Finish FD Thickness: 70mic High Gloss	 PUR Lite Finish Thickness: 70mic Gloss	 PU Recoatable Finish Thickness: 70mic Gloss/Soft matt

Note: For Waterbased product, each coat of roller application is estimated to be about 30-40 microns
 Note: For Solventbased product, each coat of roller application is estimated to be about 75-100 microns
 ** Only available in selected colours, not available under CC Pro-Series

CONCRETE ROOF & WALLS











	GOOD PERFORMANCE	HIGH PERFORMANCE		EXCELLENT PERFORMANCE	Application Method
	Water Based	Water Based	Solvent Based	Solvent Based	
Green Choice					1. Remove all dirt and dust by water jetting. 2. Allow surfaces to dry out thoroughly. 3. Ensure that the surfaces are free from loose dirt, dust, grease, oil and other contaminants. All unstable paint film must also be removed.
Sunblock & Insulation Technology					
Primer	 Acrylic 5170 Sealer Thickness: 30mic Matt	 Acrylic 5170 Sealer Thickness: 30mic Matt	 Acrylic 5170 Sealer Thickness: 30mic Matt	 EA9 Finish HB Thickness: 60mic Low Gloss	
Top Coat	 Roof Coating Thickness: 60mic Gloss	 Solaroof Thickness: 60mic Gloss	 Acrylic Finish Topcoat Thickness: 70mic Gloss/Soft matt	 PUR Lite Finish Thickness: 70mic Gloss	 PU Recoatable Finish Thickness: 70mic Gloss/Soft matt

Note: For waterbased product, each coat of roller application is estimated to be about 30-40 microns
 Note: For Solventbased product, each coat of roller application is estimated to be about 75-100 microns
 ** Only available in selected colours, not available under CC Pro-Series

ROOF PAINTING





GUIDE

FLAT ROOF

	GOOD PERFORMANCE		EXCELLENT PERFORMANCE	Application Method
Green Choice				
Sunblock & Insulation Technology				
Sealer/Primer	 Acrylic 5170 Sealer Thickness: 30mic Matt	 Acrylic 5170 Sealer Thickness: 30mic Matt	 EA9 Finish HB Thickness: 60mic Low Gloss	
Intermediate		 NippoSeal Flex 200/ Flex 200 Fibre Pro* Thickness: 1000mic Matt		By Roller or Spray. 1. For easier application and better finishing, it is advisable to apply by spray. 2.For roller application, multiple coats may needed to achieve recommended dry film thickness
Top Coat	 NippoSeal Flex 200/ Flex 200 Fibre Pro* Thickness: 1000mic Matt	 Weatherbond Solareflect Extreme Thickness: 60mic Sheen	 PU Recoatable Finish Thickness: 70mic Gloss/ soft matt	

Note: For waterbased product, each coat of roller application is estimated to be about 30-40 microns
 Note: For Solventbased product, each coat of roller application is estimated to be about 75-100 microns
 ** Only available in selected colours, not available under CC Pro-Series
 * Only available in 145 White and RAL 7040 Window Grey

GLAZED / CLAY TILES & GALVANISED SUBSTRATE

	GLAZED / CLAY TILE	GALVANISED SUBSTRATE	Application Method
Base Coat	 EA9 Finish HB Thickness: 60mic	 Galva Primer Thickness: 12mic	
Top Coat	 PU Recoatable Finish Thickness: 70mic Gloss/ soft matt	 PU Recoatable Finish Thickness: 70mic Gloss/ soft matt	

Note: For waterbased product, each coat of roller application is estimated to be about 30-40 microns
 Note: For Solventbased product, each coat of roller application is estimated to be about 75-100 microns
 ** Only available in selected colours, not available under CC Pro-Series


CLASSIC COLLECTION



Terra Brown
9606



Leather
658



Nordic Gray
PRO 0096



Tate Teal
9633



Pond Green
9632



Brick Red
645

*



Orange
650



Metropolis
9639



Palace Dome
672

*



Sunlight Plus
9666



Carnival Red
671

*



Natural Peach
659



Shadow Gray
670

*




Royale Blue
9618




Plus Green
651

*



Istana Maroon
657

*



Texas Brown
9670



Terra Cotta
407



Wira Blue
647



Rimba Green
9671



All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
根据现代印刷技术允许，以上所有显示颜色与Nippon Paint的真实颜色相近。

* PREMIUM Colours
● Not Available In Solarroof and Roof Coating

COLOUR INSPIRATIONS



Lucky Green
9613



Forrester
9565




Blue Mountain
9627



Nightscape
9547



Dark Shadow
9656



Sanctuary
9584




Botanica
9564




Casa Blue
9665



Bluecoat
9615



Steward Gray
9659



Mist Green
9631



Great Outdoor
9622




Galaxy
9546




Deepsea Blue
9620



Minerale
9552




Esplanda Walk
PRO 0282



Cactus Green
9626




Peacock Pride
9558



Hopeful Blue
9544




Duke Mansion
9573




Light Foilage
9649



Aquamarine
9629



Moonlight
9617



Crystal Rain
6243P




Lace Gray
9634




White Coffee
9648




Escapade
9563




Cool Morn
1241P




Gray Whisper
PRO 0031




Snow White
9641




Pear Green
PRO 0022




Little Creek
9566



Icicles Blue
PRO 0225



White Foam
9642




Snowstorm
9638



Peacock Pride
9558

Fernvale
9563



Banana Split
704

Duke Mansion
9573

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
根据现代印刷技术允许, 以上所有显示颜色与Nippon Paint的真实颜色相近。

● Not Available In Solarroof and Roof Coating

COLOUR INSPIRATIONS



Eclipse
9553



Woodgrove
9574



Onyx Bar
9653



Opulence
9541



Double Shots
9650



Ravenne
9624




Bronze Olive
9625




Coal Gray
9621



Double Xpresso
9602



Brown Aroma
9511



Misty Forest
9619




Tracking Tan
728




Gray Day
9654



Cocoa
9523




Overshadow
9655




Chimney Grey
9643



YK Beige
9652




Rugged
9582



Tobacco Brown
9522




Brown Saddle
9640




Noble Gray
9572




Cappucino
9646




Autumn Grey
9661



Rocky Nook
4013D



Caramella
9529




Mountain Mist
9577



Somber Stone
9645




Neutral
9505




Obscure
9658




Sandy Slate
9651



Pebblewalk
9548



Cement
9507



Cendana
9636



Oyster Shell
9660




Sandstone
722



All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
根据现代印刷技术允许，以上所有显示颜色与Nippon Paint的真实颜色相近。

● Not Available In Solarroof and Roof Coating

COLOUR INSPIRATIONS



Autumn Leaves
9540



Rich Red
9589



Red Wall
9605



Sahara
9664



Bright Flame
9608



Maroon Palace
9667




Red Dream
9669




Bravado
9588



Chinese Clay
9533



Cherry Tomato
9610



Latte
9535



Claret Red
9612



Passionate Red
9538




Native Soil
124



Golden Clay
9593



Coffee House
9517



Rouge Red
9599



Thunderball Red
113



Matahari
9663



Sunset Walk
9596



Pecan
9516



Oriental
9611



Monza
715



Natural Red
9662



Salsa
714











Aquamarine
9629

Stardust
9524

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.
Semua warna yang ditunjukkan adalah hampir serupa dengan warna sebenar Nippon Paint berdasarkan teknik pencetakan moden.
根据现代印刷技术允许，以上所有显示颜色与Nippon Paint的真实颜色相近。

PRODUCT SELECTOR CHART

Products	Performance	Substrate Suitability			Functional Benefits							Finishing	
		Metal / Cladding	Clay	Concrete	Chalking Resistance	Peeling & Flaking Resistance	Fungal & Algae Resistance	Alkaline Resistance	UV Resistance	Dirt Pick-Up Resistance	Heat Reflection	Matt/ Soft Matt	Gloss
FOR YOUR ROOF PROTECTION													
 Solarroof	★★	☐	☑	☐	☐	☐	☐	☐	☑	☑	☑	/	
 Roof Coating	★	☐	☑	☐	☐	☐	☐	☐	☐			/	
HIGH PERFORMANCE TOPCOATS (SUITABLE FOR BOTH EXTERIOR WALL AND ROOF)													
 PU Recoatable Finish	★★	☑		☑	☑	☑	☑	☑	☑			/ /	
 PUR Lite Finish	★★	☑		☑	☐	☐	☑	☐	☐			/	
 Acrylic Finish Topcoat	★			☑	☐	☐	☑	☑	☐			/ /	
 Protective Finish FD	★	☐			☐	☐			☐			/	
HIGH PERFORMANCE WATERPROOFING (SUITABLE FOR BOTH EXTERIOR WALL & ROOF)													
 Flex 200 Fibre Pro	★★	☐		☑		☑	☑		☑			/	
 Flex 200	★	☐		☑		☑	☑		☑			/	

☑ Excellent ☐ Good

Lower roof heat absorption, creating a more comfortable living space.



SOLAROOF

Reduces Surface Temperature Up to 5°C

Dirt Resistance

Fungus Resistance



ROOF COATING

High Gloss Finish

Anti-fade Properties with UV Protection

Dirt, Fungus & Algae Resistant



NIPPON PAINT (MALAYSIA) SDN. BHD. (196701000578)
 Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4,
 40300 Shah Alam, Selangor Darul Ehsan, Malaysia.

☎ 1-800-88-2663 📧 customercare@nipponpaint.com.my

📘 facebook.com/nipponpaintmalaysia

🌐 nipponpaint.com.my | professional.nipponpaint.com.my